

INDEX

In the index, references to individual volumes are listed before colons; numbers following a colon refer to specific page numbers within that particular volume. **Boldface** references indicate main topical essays. Photographs and illustration references are highlighted with an *italicized* page number; and tables are also indicated with the page number followed by a lowercase, italicized *t*.

A

- AACAP (Academy of Child and Adolescent Psychiatry), 1:631
AAIDD (American Association on Intellectual and Developmental Disabilities), 2:716
AAMR (American Association on Mental Retardation). *See* American Association on Intellectual and Developmental Disabilities (AAIDD)
ABA (Applied Behavior Analysis), 1:113
Abandonment, 1:162, 163
Abilify. *See* Aripiprazole
Abnormal involuntary movement scale (AIMS), 1:1–2
ABPN (American Board of Psychiatry and Neurology), 2:924
Abreu, Jose, 1:504
Absence seizures. *See* Seizures
Absenteeism, 1:154
Abstinence, 1:17, 202, 2:751, 814
Abuse, 1:2–7
 acute stress disorder, 1:11
 antisocial personality disorder, 1:74
 body dysmorphic disorder, 1:153
 bodywork therapies, 1:157
 borderline personality disorder, 1:161, 162
 bulimia nervosa, 1:177
 bullying as, 1:183
 conversion disorder, 1:286–287, 288, 290
 creative therapies, 1:298–299, 300
 dependent personality disorder, 1:331
 depersonalization disorder, 1:335, 338
 depression and depressive disorders, 1:341
 dissociation, 1:372
 dissociative amnesia, 1:373, 375, 376
 dissociative identity disorder, 1:380, 383
 dyspareunia, 1:396, 397
 dysthymic disorder, 1:399
 encopresis, 1:418
 exhibitionism, 1:439
 factitious disorder, 1:452, 452, 454
 feeding disorder of infancy or early childhood, 1:467
 female orgasmic disorder, 1:468, 469
 female sexual arousal disorder, 1:471
 figure drawings and, 1:479, 481
 inhalant use, 1:601
 neglect and, 2:765
 panic disorder, 2:837
 paraphilias, 1:443
 pedophilia and, 2:863
 play therapy, 2:893
 post-traumatic stress disorder, 2:901, 902
 pyromania, 2:941
 reactive attachment disorder of infancy or early childhood, 2:952–953
Academic achievement. *See* Educational performance
Academy of Child and Adolescent Psychiatry (AACAP), 1:631
Acamprosate, 1:34
Acceptance, 1:530, 538
Access to Community Care and Effective Services and Supports (ACCESS), 1:274
Accidents, motor vehicle. *See* Motor vehicle accidents
Accutane. *See* Isotretinoin
Acetaldehyde, 1:384, 2:775
Acetaminophen, 1:43, 195, 197, 2:833
Acetylaldehyde. *See* Acetaldehyde
Acetylcholine
 in Alzheimer's disease, 1:39, 42, 45, 2:773
 amoxapine and, 1:53
 antidepressants and, 1:71
 benztropine and, 1:130
 biperiden and, 1:144–145
 in dementia, 1:326, 388
 doxepin and, 1:392
 galantamine and, 1:495
 imipramine and, 1:594
 as neurotransmitter, 2:772
 nortriptyline and, 2:782
 rivastigmine and, 2:976
 tacrine and, 2:1143
 trihexyphenidyl and, 2:1184
 in Wernicke-Korsakoff syndrome, 2:1221
Acetylcholinesterase, 1:494, 495
Achievement, academic. *See* Educational performance
Achievement tests. *See names of specific tests*
Acne excoriée. *See* Dermatotillomania
ACPA (American Chronic Pain Association), 1:234
Acquired immune deficiency syndrome (AIDS). *See* AIDS (Acquired immune deficiency syndrome)
ACT (Assertive community treatment). *See* Assertive community treatment (ACT)
Action potentials, 1:166
Activities of daily living (ADL)
 Alzheimer's disease and, 1:38, 39, 40
 grief counseling and, 1:532
 group homes and, 1:534
 mental retardation and, 2:714, 715
Acupressure. *See* Bodywork therapies
Acupuncture, 1:7–11
 addiction, 2:814
 alcohol-related disorders, 1:34
 bodywork therapies, 1:159

- chronic pain, 1:234
 cocaine abuse, 1:260
 energy therapies and, 1:421
 enuresis, 1:426
 generalized anxiety disorder, 1:510
 light therapy and, 2:660–661
 major depressive disorder, 2:683
 Mini-Mental State Examination and, 2:728
 nicotine addiction, 2:779
 obesity, 2:799
 pain disorder, 2:833
 therapeutic potential, 2:829
- Acute insomnia. *See* Insomnia
- Acute stress. *See* Stress
- Acute stress disorder (ASD), 1:11–15
 adjustment disorders, 1:20
 anxiety disorders, 1:77
 depersonalization, 1:334, 335
 post-traumatic stress disorder, 2:903
 stress, 2:1111
- Acute Stress Disorder Scale, 1:12
- AD (Alzheimer's disease). *See* Alzheimer's disease (AD)
- Adalat. *See* Nifedipine
- ADAM (Arrestee Drug Abuse Monitoring), 1:258
- Adam (drug). *See* Ecstasy (drug)
- Adapin. *See* Doxepin
- Adaptogens, 1:526
- ADD (Attention-deficit disorder), 1:95, 2:735
- Addams, Jane, 2:1079
- Adderall. *See* Mixed amphetamine salts
- Addiction, 1:15–18
 adrenaline, 1:23
 alcohol, 1:30, 31, 34
 amphetamines, 1:56, 57, 58, 59–60
 anti-anxiety drugs, 1:68–69
 barbiturates, 1:121, 122
 benzodiazepines, 1:129, 349–350
 binge drinking, 1:138
 caffeine, 1:195–196
 cannabis, 1:200–201
 chlordiazepoxide, 1:228
 chronic pain, 1:233
 cocaine, 1:255, 256*t*, 257–260
 co-occurring disorders/dual diagnosis, 1:291
 dependent personality disorder, 1:333
 desipramine for, 1:344
 detoxification, 1:346–348
 diets for, 1:361, 363, 365
 disulfiram for, 1:384
 dopamine, 1:390, 391
 doxepin for, 1:392
 dual diagnosis, 1:394
 factitious disorder, 1:451
 homelessness, 1:571
 impulse-control disorders, 1:597
 inhalant, 1:600, 601–602, 603
 intervention for, 1:622
 methadone for, 2:721–723
 methamphetamine, 2:723–725, 724–725
 naltrexone for, 2:751–752
 neurotransmitters in, 2:774
 nicotine, 2:774–779
 opioid, 2:813–818
 phencyclidine, 2:878, 879–880
 reward deficiency syndrome and, 2:968–970
 sedative, 2:1013–1015
 self-help groups, 2:1029–1033
 Vivitrol for, 2:1206
See also Disease concept of chemical dependency;
 Polysubstance dependence;
 Process addiction; Relapse and relapse prevention; Substance abuse and related disorders
- Addictive personality, 1:612
- Addicts. *See* Addiction
- Adenoids, 1:169
- Adenosine, 1:196
- ADHD (Attention deficit/hyperactivity disorder). *See* Attention deficit/hyperactivity disorder (ADHD)
- Adipex-P. *See* Phentermine
- Adipose tissue. *See* Fat tissue
- Adjunct treatments. *See names of specific treatments*
- Adjustment disorders, 1:18–22, 341, 356, 2:1111
- ADL (Activities of daily living). *See* Activities of daily living (ADL)
- Adler, Alfred, 1:538, 2:827, 936
- Adolescents
 addiction, 1:16, 17
 adjustment disorders, 1:21
 alcohol-related disorders, 1:35
 antidepressants for, 1:72
 antisocial personality disorder, 1:73
 aripiprazole for, 1:89
 Asperger's disorder, 1:94, 96, 97
 assertive community treatment, 1:98
 attention deficit/hyperactivity disorder, 1:108
 bipolar disorder, 1:148, 149
 body dysmorphic disorder, 1:152, 153, 154
 brief psychotic disorder, 1:174
 bulimia nervosa, 1:176–182
 cannabis use, 1:200, 200, 201
 case management, 1:208
 Child Depression Inventory, 1:220–221
 circadian rhythm sleep disorder, 1:237
 clomipramine for, 1:245
 community mental health, 1:273–274
 conduct disorder, 1:281–283
 Conners' Rating Scales-Revised, 1:284–285
 conversion disorder, 1:288, 289, 290
 co-occurring disorders/dual diagnosis, 1:292
 creative therapies, 1:299
 crisis housing, 1:301–302
 dependent personality disorder, 1:331
 desipramine for, 1:344
 dissociation, 1:372
 dual diagnosis, 1:395
 dysthymic disorder, 1:399
 ecstasy use, 1:404, 405
 enuresis, 1:425
 exposure treatment, 1:445, 446
 factitious disorder, 1:453
 family education, 1:456–457
 figure drawings, 1:480, 481
 fluvoxamine for, 1:488
 gender identity disorder, 1:497, 499–500
 hallucinogen use, 1:550
 house-tree-person test, 1:575
 hypomania, 1:589
 imipramine for, 1:595
 inhalant use, 1:600, 602
 interpersonal therapy, 1:617, 619–620
 juvenile bipolar disorder, 1:629–632
 juvenile depression, 1:632–634
 Kaufman Adolescent and Adult Intelligence Test, 1:637–639
 major depressive disorder, 1:341, 2:678, 680, 681, 683
 methamphetamine use, 2:724
 monoamine oxidase inhibitors for, 2:743
 multisystemic therapy, 2:746–749
 nicotine use, 2:776, 777
 opioid use, 2:815
 oppositional defiant disorder, 2:818–821
 paraphilias, 1:442–443
 Paxil for, 2:861
 peer groups, 2:866–868, 867
 pica, 2:885–888
 premature ejaculation, 2:909
 process addiction, 2:916
 psychoanalysis, 2:927
 pyromania, 2:940–941, 942, 943
 schizophrenia, 2:996
 selective serotonin reuptake inhibitors for, 2:1024
 self mutilation, 2:1034
 self-help groups, 2:1030
 separation anxiety disorder, 2:1037–1041
 social phobia, 2:1069, 1070–1071, 1072

- specific phobias, 2:1088, 1089
steroid use, 2:1103
stuttering, 2:1123, 1125
Substance Abuse Subtle Screening Inventory, 2:1133
suicide, 2:1134
tic disorders, 2:1159, 1160, 1162, 1163
toilet phobia, 2:1164
transcranial magnetic stimulation, 2:1168
Treatment for Adolescents with Depression Study, 2:1177–1178
trichillomania, 2:1181
trimipramine for, 2:1187
See also Boys; Girls
Adrenal glands, 2:825, 912
Adrenaline, **1:22–24**
in Alzheimer's disease, 1:39
amoxapine and, 1:53
antidepressants and, 1:71, 72
in attention deficit/hyperactivity disorder, 2:774
caffeine and, 1:196
dopamine and, 1:390
doxepin and, 1:392
ecstasy and, 1:405
in electroconvulsive therapy, 1:411
fluphenazine and, 1:484
in histrionic personality disorder, 1:565
in hypnotherapy, 1:581
in hypoactive sexual desire disorder, 1:584
imipramine and, 1:594
isocarboxazid and, 1:628
maprotiline and, 2:694
as neurotransmitter, 2:772, 773
origin of mental illnesses, 2:824
in process addiction, 2:917
in smoking cessation, 2:1068
tranylcypromine and, 2:1172
Adult abuse. *See* Abuse
Advance directives, **1:24–25**, 626, 2:728
Adverse effects. *See names of causative drugs or treatments*
Advil. *See* Ibuprofen
Aerobic exercise. *See* Exercise/exercise-based treatment
Aerosols, 1:600
Affect, **1:25–26**
amnesic disorders, 1:51
assessment and diagnosis, 1:104
catatonia, 1:210
catatonic disorders, 1:212, 213, 214
dissociation, 1:371
mesoridazine and, 2:719
schizophreniform disorder, 2:1002–1003
Affective disorders. *See* Anxiety and anxiety disorders; Depression and depressive disorders
African Americans
agoraphobia, 2:838
bulimia nervosa, 1:179
bullying, 1:184
gender issues in mental health, 1:504
generalized anxiety disorder, 1:507
Kaufman Short Neurological Assessment Procedure, 1:641
learning disorders, 1:657
panic disorder, 2:838
stroke, 2:1118, 1119
substance abuse, 1:68
Agent-driven directives. *See* Advance directives
Aging
Clinical Assessment Scales for the Elderly and, 1:240, 241
cognitive retraining and, 1:269, 270
dementia and, 1:321
depression and, 1:650
erectile dysfunction and, 1:428
gender issues in mental health, 1:503
grief and, 1:529–530
insomnia and, 1:605
narcissistic personality disorder and, 2:758
See also Elderly
Agnosia, 1:40, 323
Agonists, 2:864
Agoraphobia, **1:26, 26–30**
as anxiety disorder, 1:77
bibliotherapy, 1:135, 136
exposure treatment, 1:444, 445
genetics, 1:515
guided imagery therapy, 1:542
panic disorder and, 2:836, 837, 838
specific phobias and, 2:1087
tic disorders and, 2:1163
tranylcypromine for, 2:1172
Agoraphobic Self-Statements Questionnaire (ASQ), 1:28
Agranulocytosis, 1:150, 252, 253
AHPA (American Herbal Products Association), 1:528, 643
AIDS (Acquired immune deficiency syndrome), 1:258, 2:825, 892
AIMS (Abnormal involuntary movement scale). *See* Abnormal involuntary movement scale (AIMS)
Akathisia. *See* Medication-induced movement disorders
Akinesia, 1:213, 2:745
Akineton. *See* Biperiden
Alanine, 1:513
Albumin, 1:360
Albuterol, 1:518
Alcohol abuse. *See* Alcohol and related disorders
Alcohol and drug abuse counselors, 1:624
Alcohol and related disorders, **1:30–35, 31**
adjustment disorders and, 1:21
alprazolam for, 1:36
amnesia from, 1:49
amnesic disorders and, 1:49, 51, 52
anti-anxiety drugs and abuse and, 1:69
antidepressants and, 1:72
barbiturates and, 1:122
benzodiazepines and, 1:129
beta blockers and, 1:134
bibliotherapy, 1:135
bipolar disorder and, 1:147
breathing-related sleep disorder and, 1:171
bulimia nervosa and, 1:179
cannabis and, 1:202
catatonic disorders and, 1:214
chloral hydrate and, 1:227
chlordiazepoxide and, 1:228–229
chlorpromazine and, 1:231
chronic pain and, 1:233
circadian rhythm sleep disorder and, 1:237
citalopram for, 1:239
clomipramine and, 1:246
clonazepam and, 1:247, 248
clorazepate and, 1:251
clozapine and, 1:253
cocaine and, 1:255
co-occurring disorders/dual diagnosis and, 1:291, 292
delirium and, 1:312, 314
dementia and, 1:322, 324, 326
depression and depressive disorders and, 1:341
desipramine and, 1:345
detoxification, 1:347, 349, 350
diazepam and, 1:361
diets for, 1:363, 365
diphenhydramine and, 1:367
disease concept of chemical dependency and, 1:368–369
disulfiram for, 1:384–385
estazolam, 1:432
exercise for, 1:437
exposure treatment, 1:447
fluoxetine for, 1:482
flurazepam and, 1:487
Gestalt therapy, 1:521
haloperidol and, 1:552, 553
histrionic personality disorder and, 1:567
imipramine and, 1:596
insomnia and, 1:605
intermittent explosive disorder and, 1:610, 611
kava kava and, 1:644
lorazepam and, 1:666
loxapine and, 1:667
maprotiline and, 2:694
Matrix treatment model, 2:699–701
meditation for, 2:710
mesoridazine and, 2:721
mesoridazine for, 2:719
methadone and, 2:722, 723

- mirtazapine and, 2:733
 molindone and, 2:740
 naltrexone for, 2:751–752
 narcolepsy and, 2:760
 neurotransmitters and, 2:774
 nutrition and, 2:785, 788
 olanzapine and, 2:812
 as origin of mental illnesses, 2:828
 paranoia from, 2:842
 pathological gambling disorder and, 2:858
 perphenazine and, 2:870
 person-centered therapy, 2:873
 pimoziide and, 2:892
 process addiction and, 2:917
 propranolol and, 2:920
 protriptyline and, 2:921, 922
 quazepam and, 2:945, 946
 quetiapine and, 2:947
 reward deficiency syndrome and, 2:969
 social phobia and, 2:1069
 social skills training, 2:1075–1075
 temazepam and, 2:1149
 tic disorders and, 2:1163
 urine drug screening and, 2:1191
 valerian and, 2:1200
 venlafaxine and, 2:1205
 Vivitrol for, 2:1206
 vs. panic attacks, 2:838–839
 Wernicke-Korsakoff syndrome, 2:1218–1222
 withdrawal, 1:16, 347, 2:838–829
 zaleplon and, 2:1232
 ziprasidone and, 2:1234
 zolpidem and, 2:1236
See also Binge drinking; Fetal alcohol syndrome (FAS)
- Alcohol idiosyncratic intoxication, 1:16
 Alcohol tolerance. *See* Tolerance
 Alcoholics Anonymous. *See* Self-help groups
 Alcohol-induced persisting amnesic disorder. *See* Wernicke-Korsakoff syndrome
 Alcoholism. *See* Alcohol and related disorders
 Aldactone. *See* Spironolactone
 Aldehyde dehydrogenase, 1:384
 Aleve. *See* Naproxen
 Alexander, F. Matthias, 1:157
 Alexander technique, 1:157, 160
 Alignment, physical. *See* Bodywork therapies
 Allergies, 1:111, 366, 2:706
See also Food allergies
 Allergy medications. *See* Antihistamines; Decongestants
 Alopecia, 2:996, 1002, 1003
 Alpha adrenergic blockers, 1:430
 Alpha waves, 1:415
 Alpha-adrenergic receptor agonists, 2:1161
 Alprazolam, 1:35–37
 abuse, 1:67
 for acute stress disorder, 1:12
- aprepitant and, 1:88
 clomipramine and, 1:246
 clonazepam and, 1:247
 clonidine and, 1:248
 for depersonalization disorder, 1:338
 diets for, 1:365
 kava kava and, 1:644
 nefazodone and, 2:763
 for panic disorder, 2:840
 for premenstrual syndrome, 2:913
 for specific phobias, 2:1089
 Alprostadil, 1:430, 431
 ALS (Amyotrophic lateral sclerosis), 2:971
 Alternative medicine. *See names of specific treatments*
 Alters. *See* Dissociative identity disorder (DID)
 Altruism, 1:537
 Aluminum, 1:39
 Alveoli, 1:168
 Alzapam. *See* Lorazepam
 Alzheimer, Alois, 1:37, 356, 2:888
 Alzheimer's disease (AD), 1:37, 37–45
 brain imaging, 1:167
 causes, 1:38–39
 Clinical Assessment Scales for the Elderly, 1:240
 defined, 1:37
 dementia in, 1:321, 322–324, 326, 327–328
 demographics, 1:40–41
 described, 1:37–38
 diagnosis, 1:41–42
 in *Diagnostic and Statistical Manual of Mental Disorders*, 1:358
 donepezil for, 1:388, 389
 Down syndrome and, 2:718–719
 electroencephalography, 1:413
 enuresis in, 1:424
 exercise, 1:437
 galantamine for, 1:494–495
 genetics, 1:513, 515, 518, 2:824
 ginkgo biloba for, 1:525
 imaging studies, 1:594
 memantine for, 2:710–711
 Mini-Mental State Examination and, 2:728
 neurotransmitters and, 2:773
 nutrition, 2:789
 olanzapine for, 2:810
 paranoia in, 2:842
 vs. Pick's disease, 2:888–889
 prevention, 1:44
 prognosis, 1:44
 risk factors, 1:39
 rivastigmine for, 2:975–976
 single photon emission computed tomography, 2:1056
 stages, 1:38
 symptoms, 1:39–40
 tacrine for, 2:1143
- treatments, 1:42–44
 types, 1:38
 vascular dementia and, 2:1202–1203
 Alzheimer's Disease International, 1:40
 Amantadine, 1:45–47
 for catatonic disorders, 1:213
 for cocaine withdrawal, 1:260
 dopamine and, 1:391
 for medication-induced movement disorders, 2:704, 705
 paranoia from, 2:842
 Ambien. *See* Zolpidem
 Amenorrhea, 1:64, 178
 American Academy of Medical Acupuncture, 1:8
 American Academy of Ophthalmology, 2:956
 American Academy of Pediatrics, 2:956
 American Association for Pediatric Ophthalmology, 2:956
 American Association on Intellectual and Developmental Disabilities (AAIDD), 2:716
 American Association on Mental Retardation (AAMR). *See* American Association on Intellectual and Developmental Disabilities (AAIDD)
 American Board of Psychiatry and Neurology (ABPN), 2:924
 American Chronic Pain Association (ACPA), 1:234
 American College of Obstetricians and Gynecologists, 2:911
 American ginseng. *See* Ginseng
 American Herbal Products Association (AHPA), 1:528, 643
 American Jail Association, 2:712
 American Medical Association, 1:15
 American Medico-Psychological Association. *See* American Psychiatric Association (APA)
 American Pain Society (APS), 1:233
 American Psychiatric Association (APA)
 adjustment disorders, 1:20
 alcohol-related disorders, 1:30, 31
 antisocial personality disorder, 1:73
 aversion therapy, 1:115, 264
 borderline personality disorder, 1:163
 chronic pain, 1:232, 233
 co-occurring disorders/dual diagnosis, 1:291
 diagnostic philosophy, 1:354
 dissociative fugue, 1:377
 ecstasy, 1:548
 electroconvulsive therapy, 1:408, 410, 2:683
 elimination disorders, 1:416
 enuresis, 1:425

- female orgasmic disorder, 1:469
 Ganser's syndrome, 1:496
 hallucinogen-induced disorders, 1:550
 learning disorders, 1:658
 nicotine addiction and withdrawal, 2:776
 psychiatrists and, 2:924
 American Psychological Association, 1:102, 125, 599, 612
 American Yoga Association, 2:1227
 Americans with Disabilities Act, 1:441, 2:942, 1107
 America's Law Enforcement and Mental Health Project Act, 2:712–713
 Amino acids, 2:787
 Amiodarone, 1:664
 Amitriptyline, 1:47–49
 amoxapine and, 1:53
 carbamazepine and, 1:204
 chlordiazepoxide and, 1:228
 for chronic pain, 1:234
 for depersonalization disorder, 1:338
 for depression and depressive disorders, 1:340*t*
 diets for, 1:363, 365
 for dysthymic disorder, 1:400
 imipramine and, 1:594
 protriptyline and, 2:920
 riluzole and, 2:972
 valproic acid and, 2:1201
 Amnesia, 1:49–50
 in alcohol-related disorders, 1:32
 in Alzheimer's disease, 1:40
 anti-anxiety drugs and, 1:69
 appetite suppressants and, 1:85
 dissociative fugue and, 1:377
 in dissociative identity disorder, 1:381
 in hypnotherapy, 1:580
 in Kleine-Levin syndrome, 1:645
 Rohypnol and, 1:68
 traveler's, 2:1179
 See also Amnesic disorders;
 Dissociative amnesia; Memory
 Amnesic disorders, 1:49, 50–53, 355, 2:1218
 See also Amnesia; Memory
 Amobarbital, 1:121, 347
 Amodiaquine, 2:870
 Amok, 2:1004
 Amotivational syndrome, 1:202
 Amoxapine, 1:53–55, 2:701, 766, 1008
 Amphetamines, 1:55, 55–57
 amantadine and, 1:47
 as appetite suppressants, 1:84
 clomipramine and, 1:246
 as hallucinogens, 1:545, 547
 isocarboxazid and, 1:628
 for Kleine-Levin syndrome, 1:646
 medication-induced postural tremor from, 2:701–702
 methamphetamine and, 2:723–724
 monoamine oxidase inhibitors and, 2:743
 for narcolepsy, 2:760
 nightmares from, 2:781
 paranoia from, 2:842
 paranoid personality disorder and, 2:845
 pemoline and, 2:869
 phenelzine and, 2:882
 tic disorders and, 2:1158
 urine drug screening for, 2:1191
 See also Amphetamines and related disorders
 Amphetamines and related disorders, 1:57–62
 See also Amphetamines
 Amprenavir, 1:385
 Amygdala, 1:258, 2:835, 837, 902, 1109
 Amylase, 1:179
 Amyloid precursor protein (APP), 1:38, 513
 Amyloid-beta protein, 1:323
 Amyotrophic lateral sclerosis (ALS), 2:971
 Amytal. *See* Amobarbital
 AN (Anorexia nervosa). *See* Anorexia nervosa (AN)
 Anabolic steroids. *See* Steroids
 Anadrol. *See* Oxymetholone
 Anafranil. *See* Clomipramine
 Analeptics. *See* Stimulants
 Analgesics
 for Alzheimer's disease, 1:43
 antidepressants and, 1:71
 caffeine and, 1:195, 196, 197
 for chronic pain, 1:234
 clorazepate and, 1:251
 desipramine and, 1:345
 diphenhydramine and, 1:367
 isocarboxazid and, 1:628
 perphenazine and, 2:870
 Pick's disease and, 2:890
 ziprasidone and, 2:1234
 See also names of specific analgesics
 Analysts. *See* Psychoanalysis
 Anandamide, 1:200
 Anankastic personality disorder. *See* Obsessive-compulsive personality disorder
 Androgenic steroids. *See* Steroids
 Anectine. *See* Succinylcholine
 Anemia, 1:326, 2:789, 790
 See also Aplastic anemia
 Anesthesia and anesthetics
 barbiturates, 1:121
 for chronic pain, 1:234
 depersonalization from, 1:335
 for detoxification, 1:347, 348, 350
 diphenhydramine and, 1:367–368
 for electroconvulsive therapy, 1:408, 410
 haloperidol and, 1:552, 553
 as inhalants, 1:600–601
 mesoridazine and, 2:721
 molindone and, 2:740
 phencyclidine, 2:877
 valerian and, 2:1199–1200
 Anesthetics. *See* Anesthesia and anesthetics
 Aneurysms, 2:1118, 1120
 Angel dust. *See* Phencyclidine and related disorders
 Angelman syndrome, 1:514
 Anger, 1:530, 597, 609–611
 See also Road rage
 Anger attacks. *See* Intermittent explosive disorder (IED)
 Angiotensin converting enzyme inhibitors, 1:664
 Anhedonia
 cannabis and, 1:202
 in late-life depression, 1:652
 in major depressive disorder, 1:341, 2:678
 as negative symptom, 2:764
 in schizoid personality disorder, 2:990
 in schizophrenia, 2:996
 See also Sexual anhedonia
 Animal magnetism, 1:579
 Animal phobias. *See* specific phobias
 Animals, 1:224, 225
 Anorexia nervosa (AN), 1:62–65, 63
 binge eating and, 1:139
 vs. body dysmorphic disorder., 1:152
 bulimia nervosa and, 1:180
 clomipramine for, 1:244
 diets for, 1:362
 exercise for, 1:437
 family psychoeducation, 1:458
 interpersonal therapy, 1:617, 620
 kleptomania and, 1:646
 modeling, 2:736
 vs. obsessive-compulsive disorder, 2:808
 origin of mental illnesses and, 2:828
 rumination disorder and, 2:984
 Anosodiaphoria, 1:66
 Anosognosia, 1:65–67, 2:997
 Anoxia, 1:312
 Antabuse. *See* Disulfiram
 Antacids, 1:57, 180, 493, 664, 2:920
 Anterograde amnesia. *See* Amnesia
 Anthelmintics, 1:218
 Anthemic acid, 1:219
 Antiandrogens, 1:441, 2:864
 Anti-anxiety drugs and abuse, 1:67, 67–70
 for Alzheimer's disease, 1:43
 amnesia from, 1:49
 benzodiazepines, 1:128, 129
 for binge drinking, 1:138
 for brief psychotic disorder, 1:174
 for cannabis withdrawal, 1:202