

INDEX

Numbers before a colon indicate volume. Numbers after a colon indicate page references. **Boldface** page numbers indicate the main essay for a topic. *Italicized* page numbers indicate photographs or illustrations.

A

- AAMR (American Association on Mental Retardation), 2:526
- AAN (American Academy of Neurology), 2:602
- AB42 protein, 1:37
- ABCN (American Board of Clinical Neuropsychology), 2:610
- Abducens nerve, 2:906
- Abetalipoproteinemia. *See* Bassen-Kornzweig syndrome
- Ablative lesions, 2:650
- ABPP (American Board of Professional Psychology), 2:610
- Absence seizures, 2:755, 756, 798, 816
- Abulia, 1:1–2
- Abuse. *See* Child neglect or abuse; Drug abuse
- Abusive head trauma. *See* Shaken baby syndrome
- Acanthocytosis. *See* Bassen-Kornzweig syndrome
- ACC (Agenesis of the corpus callosum), 1:**16–20**, 498
- Accidental ingestion of medication, 1:112
- Acetaminophen, 1:**280–282**, 446–447
- Acetazolamide, 1:**2–3**, 2:708
- Acetyl-CoA-alpha-glucosaminide acetyltransferase, 2:554
- Acetylcholine (ACh)
- anticholinergics effects, 1:62, 263
 - cholinergic stimulants effects, 1:228, 229
 - congenital myasthenia, 1:237
 - history, 2:615
 - Lambert-Eaton myasthenic syndrome, 1:471
 - motor neuron diseases, 2:543
 - myasthenia, congenital, 2:573
 - myasthenia gravis, 2:574–576
 - neuromuscular blockers effects, 2:602
 - in sympathetic preganglionic synapses, 2:660
- Acid alpha-glucosidase, 2:685
- Acid sphingomyelinase (ASM), 2:617
- ACPA (American Chronic Pain Association), 2:639
- Acquired brain injuries. *See* Traumatic brain injuries
- Acquired Creutzfeldt-Jakob disease, 1:250
- Acquired immunodeficiency syndrome. *See* AIDS
- Acrodermatitis chronica atrophicans, 1:507
- ACT (Assertive community treatment) programs, 2:749
- ACTH. *See* Adrenocorticotropin
- Acupuncture, 1:**3–7**, 5, 6
- for back pain, 1:136
 - for headaches, 1:408
 - for Mènière's disease, 2:522
 - for pain, 2:639
 - for repetitive motion disorders, 2:725, 726
- Acute confusional state. *See* Delirium
- Acute disseminated encephalomyelitis (ADE), 1:**8–9**, 274
- Acute flaccid paralysis. *See* Guillain-Barré syndrome
- Acute idiopathic polyneuritis. *See* Guillain-Barré syndrome
- Acute inflammatory demyelinating polyneuropathy (AIDP). *See* Guillain-Barré syndrome
- Acute thyrotoxic myopathy, 2:843
- Acyclovir, 1:83, 336
- Addams, Jane, 2:773
- Addiction. *See* Alcohol abuse; Drug abuse
- Addison disease, 1:10
- ADE (Acute disseminated encephalomyelitis), 1:**8–9**, 274
- Adenine deaminase deficiency, 1:383
- Adenosine triphosphate (ATP), 2:536, 842
- ADHD. *See* Attention deficit hyperactivity disorder
- ADLP gene, 1:489
- ADM (Amyopathic dermatomyositis). *See* Dermatomyositis
- Adolescents, ADHD treatment, 1:122
- Adrenal glands
- adrenoleukodystrophy, 1:9–12
 - Cushing syndrome, 1:254, 255–256
 - glucocorticoid manufacture, 1:390
 - von Hippel-Lindau disease, 2:914, 915
- Adrenocorticotropin (ACTH)
- Cushing syndrome, 1:254–255
 - infantile spasms, 1:453
 - opsoclonus myoclononus, 2:624–625
- Adrenoleukodystrophy (ALD), 1:**9–13**, 114, 489, 491
- Adrenomyeloneuropathy, 1:10
- Adult day care, 2:727
- Affective disorders, 1:**13–16**
- AFP (Alpha-fetoprotein), 2:792
- Africa (encephalitis lethargica cases), 1:338
- See also* World health issues
- African trypanosomiasis. *See* Encephalitis lethargica
- Agenesis of the corpus callosum (ACC), 1:**16–20**, 498
- Ageusia, 1:60–61
- Aggrenox, 2:861
- Aging
- exercise and, 1:355
 - hearing disorders, 1:410
 - nerve impulse speed, 2:596
 - shingles, 2:761
 - transient global amnesia, 2:856
 - visual disturbances, 2:907
- Agnosia, 1:**20–22**
- AIDP (Acute inflammatory demyelinating polyneuropathy). *See* Guillain-Barré syndrome

- AIDS (Acquired immunodeficiency syndrome), 1:**22–25**
 dysesthesias, 1:307–308
 HIV and peripheral neuropathy, 2:663, 664
- Akathisia, 1:312, 2:548
- Albuterol, 2:572
- Alcohol abuse
 affective disorders, 1:14
 alcohol-related neurological disease, 1:25–28
 encephalopathy, 1:343
 hallucinations, 1:400
See also Fetal alcohol syndrome
- Alcohol-related neurological disease, 1:**25–29**, 2:874
- ALD. *See* Adrenoleukodystrophy
- Aldotase, 2:683
- Alexander disease, 1:**29–31**, 489
- Alexander technique, 1:159–160, 2:725
- Alkalinity, 2:655–656
- Allergic reactions
 atomoxetine, 1:117
 benzodiazepines, 1:150
 diazepam, 1:280
 dichloralphenazone, 1:283
 dichloralphenazone, isometheptene, and acetaminophen, 1:281
 hydantoins, 1:428
 lamotrigine, 1:476
 latex sensitivity, 2:792
 oxazolinediones, 2:631–632
 succinamides, 2:817
- Allopurinol, 1:487
- Alpers' disease, 1:**31–33**
- Alpha-fetoprotein (AFP), 2:792
- Alpha-galactosidase A, 1:357
- Alpha-L-iduronidase (IDUA) gene, 2:553
- Alpha-synuclein, 1:494, 2:646
- ALS. *See* Amyotrophic lateral sclerosis
- Alternating hemiplegia, 1:**33–34**
- Alternative treatment. *See* Complimentary and alternative medicine
- Alzheimer, Alois, 2:602
- Alzheimer disease, 1:**34–39**, 37
 aspartame and, 1:102
 cholinesterase inhibitors for, 1:229
 delirium, 1:266
 hallucinations, 1:398
 language skills, 1:86–87
 multi-infarct dementia, 2:558
 Pick disease and, 2:671
- Amantadine, 1:**40–41**, 83, 2:649
- Amaurosis fugax, 2:858
- Ambulatory electroencephalography (EEG), 1:326
- American Academy of Neurology (AAN), 2:602
- American Association on Mental Retardation (AAMR), 2:526
- American Board of Clinical Neuropsychology (ABCN), 2:610
- American Board of Osteopathic Neurologists and Psychiatrists, 2:602
- American Board of Professional Psychology (ABPP), 2:610
- American Board of Psychiatry and Neurology, 2:602
- American Chronic Pain Association (ACPA), 2:639
- Amino acids, 1:287
- Amitriptyline, 2:726
- Amnesic disorders, 1:**41–43**, 42, 2:871
- Amniocentesis, 1:12, 2:792
- Amphetamines, 1:204–205, 2:539, 591
- Amputations, 2:666–667
- Amygdala, 1:42, 84, 286
- Amyloid plaques, 2:700
 Alzheimer disease, 1:35, 36
 dysesthesias, 1:306–307
 Gerstmann-Straussler-Scheinker disease, 1:385
 inclusion body myositis, 1:447–448
 prion diseases, 2:698
- Amyopathic dermatomyositis (ADM). *See* Dermatomyositis
- Amyotrophic lateral sclerosis (ALS), 1:**43–47**, 2:543, 545, 560, 694
- Analgesics, 2:637–638
 for headaches, 1:407
 for migraines, 1:71–72, 74, 76, 77
See also Pain treatment; specific analgesics
- Anatomical nomenclature, 1:**47–49**
- André, Nicolaus, 2:876
- Androgen receptor gene, 1:463
- Anemia, 2:908, 909, 911, 912
- Anencephaly, 1:**49–50**, 50
- Anesthesia
 anticholinergics, 1:62–63
 lidocaine patch, 1:496–497
 malignant hyperthermia and, 1:241
 mucopolysaccharidoses and, 2:557
 neuromuscular blockers, 2:602–603, 638
- Aneurysms, 1:**50–53**
 arteriovenous malformations, 1:99
 endovascular embolization, 1:345
 strokes from, 2:805, 806, 808
- Angelman syndrome, 1:**53–56**, 54
- Angiography, 1:**56–60**, 192, 192
- Angioplasty, 1:192
- Anhidrosis, 2:567
- Animals
 bird brain map, 1:18
 cattle, 2:698
 chronic wasting disease, 2:700
 dogs, seizure detecting, 1:353
 horses, 1:167, 221–222
 mice testing, 1:448, 2:571, 618
 monkey testing, 2:681
 rat testing, 2:772
 West Nile virus transmission, 2:923
- Ankles. *See* Feet
- Anomic aphasia, 1:87
- Anosmia, 1:**60–61**
- Antagonistic muscle pairs, 2:546
- Anterior longitudinal ligaments, 2:924
- Anterograde amnesia, 1:41, 2:857
- Antibiotics
 cholinergic stimulants and, 1:228
 encephalitis and meningitis, 1:336
 Lyme disease, 1:508, 509
 Sydenham's chorea, 2:823
 tabes dorsalis, 2:828
 Whipple's disease, 1:336
- Anticholinergics, 1:**62–63**
 antiparkinson drugs, 1:81–82, 2:648–649
 for cerebral palsy, 1:221
 for congenital myasthenia, 1:237
 delirium from, 1:263
- Anticoagulants, 2:862, 903
- Anticonvulsants, 1:**63–66**
 migraine headaches, 1:72–73, 74, 76, 77, 407
 restless legs syndrome, 2:731
 status epilepticus, 2:798
 Sydenham's chorea, 2:823
- Antidepressants
 affective disorders, 1:16
 back pain, 1:136
 narcolepsy, 2:591
 schizophrenia, 2:749
See also Selective serotonin reuptake inhibitors; Tricyclic antidepressants
- Antiemetics, 1:72, 74, 76, 77
- Antiepileptic drugs, 1:**66–70**, 2:757
 central pain syndrome, 1:206
 infantile spasms, 1:453
 Lennox-Gastaut syndrome, 1:484
 migraine headaches, 1:72
 Ramsay-Hunt syndrome type II, 2:716

- temporal lobe epilepsy, 2:835
- Antimigraine medications, 1:**71–78**, 407
- Antimuscarinic agents, 1:62
- Antioxidants, 1:288
- Antiparkinson drugs, 1:**78–82**, 128
- Antiplatelet agents, 2:861, 903
- Antipsychotics
 - for delirium, 1:265
 - for Huntington disease, 1:426
 - neuroleptic malignant syndrome from, 2:600
 - parkinsonian side effects, 1:40
 - for schizophrenia, 2:747, 749
- Antiviral drugs, 1:**82–84**
 - Amantadine, 1:40–41
 - Bell's palsy, 1:146
 - cytomegalic inclusion body disease, 1:258
 - shingles, 2:762
- Anxiety disorders, 1:13, 84–85, 365
- Anxiolytics, 1:**84–86**, 148–149
- Aphasia, 1:**86–89**, 87, 2:517–518
- APOE e4 gene, 1:37
- Apolipoprotein B deficiency. *See* Bassen-Kornzweig syndrome
- Apomorphine, 2:649, 650
- Apperceptive visual agnosia, 1:21
- Apraxia, 1:86, **89–92**, 90, 2:518
- Arachnoid cysts, 1:**94–96**
- Arachnoid membrane, 1:94–96, 172, 2:523–524
- Arachnoiditis, 1:**92–94**
- Arboviruses, 1:333–334, 337, 2:921–923
- Aricept. *See* Donepezil
- Arms and shoulders
 - Parsonage-Turner syndrome, 2:653, 654, 655
 - thoracic outlet syndrome, 2:840
 - ulnar neuropathy, 2:593, 676, 885–886
- Arnold-Chiari malformation, 1:**96–98**, 98, 435, 2:791, 824–825
- Arrhythmia, 1:296, 2:862
- ARSA (Arylsulfatase A), 2:531
- ARSD gene, 2:554
- Art and artists, 1:219
- Arteries
 - cerebral angiitis, 1:209–210
 - cerebral circulation, 1:213–214
 - coronary angiography, 1:58
 - temporal arteritis, 2:832–833
 - transient ischemic attacks, 2:859
 - See also* Carotid arteries; Vertebral arteries
- Arteriography
 - aneurysms, 1:51
 - carotid stenosis, 1:192
 - transient ischemic attacks, 2:860
- Arteriovenous malformations (AVM), 1:**98–101**, 100
- Arthritis, 2:638
- Artificial sweeteners, 1:101–102
- Arylsulfatase A (ARSA), 2:531
- Arylsulfatase B, 2:557
- Ashkenazi Jews
 - Canavan disease, 1:183
 - dystonia, 1:320
 - Gaucher disease, 1:380
 - Niemann-Pick disease, 2:617
 - Tay-Sachs disease, 2:830
- ASM (Acid sphingomyelinase), 2:617
- Aspartame, 1:**101–103**
- Aspartate, 2:616
- Aspartoacylase deficiency, 1:183
- Asperger's disorder, 1:**103–107**
- Aspirin
 - after carotid endarterectomy, 1:189
 - for pain, 2:637
 - Reye syndrome from, 2:737–738
 - for transient ischemic attacks, 2:861, 862
 - for vasculitis, 2:896
 - for vertebrobasilar disease, 2:903
 - for Wallenberg syndrome, 2:920
- Assertive community treatment (ACT) programs, 2:749
- Assistive mobile devices, 1:**107–109**, 108, 323–325
- Associative visual agnosia, 1:21
- AstraZenec, 2:862–863
- Ataxia, 1:**112–116**
 - Fisher syndrome, 1:369–370
 - Friedreich ataxia, 1:374–377
 - Machado-Joseph disease, 2:511
 - olivopontocerebellar atrophy, 2:623
 - spinocerebellar ataxias, 2:795–797
- Ataxia hereditaria hemeralopia polyneuritiformis. *See* Refsum disease
- Ataxia-telangiectasia, 1:**109–112**
- Ataxic cerebral palsy, 1:220
- Ataxic dysarthria, 1:301–302
- Atherosclerosis
 - carotid endarterectomy, 1:188–190
 - carotid stenosis, 1:191–193
 - transient ischemic attacks, 2:859, 860, 863
 - vertebrobasilar disease, 2:902
- Athetoid cerebral palsy, 1:220
- Athetosis, 1:312, 2:548
- Ativan. *See* Lorazepam
- Atomoxetine, 1:**116–117**
- Atonic seizures, 2:755, 756
- ATP (Adenosine triphosphate), 2:536, 842
- ATP7B gene, 2:931
- Atrial fibrillation, 2:805, 808
- Atropine, 1:62, 63
- Attention deficit hyperactivity disorder (ADHD), 1:**118–122**
 - atomoxetine, 1:116–117
 - central nervous system stimulants, 1:204–205
 - learning disorders and, 1:477
 - Sturge-Weber syndrome cooccurrence, 2:809
 - Tourette syndrome connection, 2:852, 853
- Attentional dyslexia, 1:314
- Atypical absences, 1:483
- Atypical depression, 1:270
- Atypical facial pain, 2:635
- Audiometry, 2:904
- Auditory agnosia, 1:21
- Aura and prodromal signs, 1:402–403, 2:748, 834–835
- Australia
 - multiple sclerosis, 2:562
 - progressive supranuclear palsy, 2:704
- Autism, 1:**122–126**, 124, 2:881–882
- Autistic spectrum disorders, 1:125
 - Asperger's disorder, 1:103–106
 - Rett syndrome, 2:732–736
- Automobile accidents. *See* Driving and driving accidents
- Autonomic dysfunction, 1:**126–129**, 2:566
- Autonomic nervous system, 1:175, 2:658–660
 - autonomic dysfunction, 1:126–128
 - hypothalamus, 1:285
 - multiple system atrophy, 2:566, 802
 - neuroleptic malignant syndrome, 2:599–600
 - spinal cord injuries, 2:785, 787
- Autonomic neuropathy, 1:275
- Autopsies, 1:36
- Avanir Pharmaceuticals, 2:871
- AVM (Arteriovenous malformations), 1:**98–101**, 100
- AVP-923, 2:871
- Azathioprine, 2:577, 896
- Azithromycin, 2:829

Azorean disease. *See* Machado-Joseph disease (MJD)

Azores (South America), 2:511

B

B complex vitamins, 1:289, 2:862

Babesiosis, 1:509

Babies and infants

Alexander disease, 1:29–31

anencephaly, 1:49–50, 50

Angelman syndrome, 1:53–55

arachnoid cysts, 1:95

Bassen-Kornzweig syndrome, 1:139

beriberi, 1:152

botulism, 1:166

brachial plexus palsy, 2:592, 593

Canavan disease, 1:489

cerebral palsy, 1:218–223

congenital myasthenia, 1:237, 2:576

cranial ultrasound, 2:887

craniosynostosis, 1:244–245

cytomegalic inclusion body disease, 1:257

encephalitis and meningitis, 1:332, 334, 336

Hurler syndrome, 2:553

hydranencephaly, 1:429–430

hydrocephalus, 1:431

hypotonia, 1:439–441, 440

incontinentia pigmenti, 1:450

infantile beriberi, 2:909

Joubert syndrome, 1:460, 461

Krabbe disease, 1:467

Leigh disease, 1:481–482

Lesch-Nyhan syndrome, 1:485–486

lissencephaly, 1:499

megalencephaly, 2:516

metachromatic leukodystrophy, 1:490

microcephaly, 2:532–533

Moebius syndrome, 2:540

periventricular leukomalacia, 2:664–665

Pompe disease, 2:685–686

porencephaly, 2:689

Rett syndrome, 2:732

Sandoff disease, 2:741–742

septo-optic dysplasia, 2:758

shaken baby syndrome, 2:759–761

Sotos syndrome, 2:776

spina bifida, 2:790–794, 791

spinal muscular atrophies, 2:788

stiff person syndrome, 2:800

Tay-Sachs disease, 2:830–831

Zellweger syndrome, 2:937

Back pain, 1:131–138

disc herniation, 1:290–291, 2:674

laminectomy, 1:473

lower back pain, 2:635

piriformis syndrome, 2:677

sciatic neuropathy, 2:753–754

sciatica, 2:751–752

Baclofen, 2:779, 801

Bacteria

Borrelia burgdorferi, 1:307, 505

Campylobacter jejuni, 1:392

Clostridium botulinum, 1:163, 165, 2:874

in digestive system, 1:288

encephalitis and meningitis, cause of, 1:334

Escherichia coli, 1:457

Mycobacterium leprae, 1:307

Treponema pallidum, 2:827

Tropheryma whipplei, 2:927

Trypanosoma brucei gambiense, 1:338

Trypanosoma brucei rhodesiense, 1:338

Balance and imbalance

exercise and, 1:355

Mènière's disease testing, 2:520

striatonigral degeneration, 2:802

vestibule system, 1:292, 293, 294, 2:904

See also Vertigo

Ballism, 1:312, 2:548

Barbiturates

anxiolytics vs., 1:84–85

phenobarbital, 1:68, 69, 70, 2:670–671, 695

for seizures, 2:757

Basal ganglia, 1:173, 284

abulia, 1:1

chorea, 1:231

corticobasal degeneration, 1:244

dystonia and, 1:320

hyperkinetic dysarthria and, 1:302–303

mechanics of movement, 2:548, 549

Sydenham's chorea, 2:821

Wilson disease, 2:931–932

Basal occlusive disease with telangiectasia. *See* Moyamoya disease

Basedow paraplegia. *See* Thyrotoxic myopathy

Basilar artery, 1:213

Bassen-Kornzweig syndrome, 1:138–140

Batten disease, 1:140–142, 141

Baylor College of Medicine, 1:337, 2:763

Beatty's maneuver, 2:678

Becker muscular dystrophy (BMD), 2:568, 570, 572

Bed rest, 1:135

Bed sores, 2:785, 787

Beef, 2:698, 699

Behavior changes

adrenoleukodystrophy, 1:10

benzodiazepines, 1:149

Huntington disease, 1:423

infantile spasms, 1:454

Lennox-Gastaut syndrome, 1:483–484

traumatic brain injuries, 2:871

See also Dementia

Behavior disorders. *See* specific disorders

Behçet disease, 1:142–144

Bell's palsy, 1:144–146, 308, 360, 506–507

Benign congenital hypotonia, 1:439

Benign essential blepharospasm, 1:158

Benign familial megalencephaly, 2:516

Benign focal amyotrophy. *See* Monomelic amyotrophy

Benign nocturnal alternating hemiplegia of childhood, 1:33, 34

Benign positional vertigo (BPV), 1:147–148, 295, 297, 298, 2:520

Benzodiazepines, 1:84, 148–151

febrile seizures, 1:367

Huntington disease, 1:426

neuroleptic malignant syndrome, 2:600

restless legs syndrome, 2:731

spasticity, 2:779

stiff person syndrome, 2:801

See also specific benzodiazepines

Benzotropine, 2:752

Berberi, 1:151–153, 2:908, 909–910, 911, 912

Beta-blockers, 1:73, 74, 76, 77

Beta-carotene, 1:289

Beta-galactosidase, 2:554

Beta-glucuronidase, 2:554

Betaseron, 1:457

Beverages. *See* Food and beverages

Bicycler's neuropathy. *See* Ulnar nerve neuropathy

Bilateral acoustic neurofibromatosis. *See* Neurofibromatosis

Bile acids, 2:938

Binswanger disease, 1:153–156, 155

- Biofeedback, 1:136–137
- BioMarin Pharmaceuticals, 2:557
- Biopsies, 1:156–157**
- Alexander disease, 1:30
 - encephalitis and meningitis, 1:335
 - inclusion body myositis, 1:449
 - inflammatory myopathy, 1:455
 - myofibrillar myopathy, 2:581
 - myopathies, 2:584
 - Niemann-Pick disease, 2:617
 - peripheral neuropathy, 2:663
 - polymyositis, 2:683–684
- Bipolar affective diseases, 1:13, 14**
- depression and, 1:270
 - lamotrigine, 1:475–476
 - topiramate, 2:848
 - valproic acid and divalproex sodium, 2:891
- Birds**
- brain map, 1:18
 - West Nile virus transmission, 2:923
- Birthmarks, 2:808–810**
- Bladder. See Urinary system**
- Bleeding**
- aneurysms, 1:50–51, 2:805, 806
 - arteriovenous malformations, 1:99
 - cerebral cavernous malformations, 1:210–211
 - cerebral hematomas, 1:216–217
 - endovascular embolization, 1:345
 - moyamoya disease, 2:550
 - from pallidotomy, 2:641
 - shaken baby syndrome, 2:760
 - subarachnoid bleed, 2:525
 - subdural hematomas, 2:814–816
 - traumatic brain injuries, 2:867
- Blepharospasm, 1:157–159**
- Blindness. See Vision and visual disturbances**
- Blood disease and abnormalities**
- ataxia-telangiectasia, 1:110
 - Binswanger disease, 1:154
 - dizziness, 1:296
 - fatigue, 1:363
- Blood donation. See Organ and tissue donation**
- Blood filtering. See Plasmapheresis**
- Blood flow reduction. See Fainting; Strokes; Thrombosis; Transient ischemic attacks**
- Blood pressure**
- atomoxetine, 1:117
 - cerebral, 1:214, 215
 - fainting, 1:361
 - multi-infarct dementia, 2:558, 559
 - orthostatic hypotension, 1:296, 297, 2:566, 567, 627–630
 - striatonigral degeneration, 2:803
 - transient ischemic attack, 2:862
- Blood sugar levels**
- delirium, 1:265
 - diabetic neuropathy, 1:275, 276
 - glucocorticoids and, 1:390
 - status epilepticus, 2:798
- Blood supply, national**
- AIDS, 1:22–23
 - Creutzfeldt-Jakob disease, 2:701
- Blood testing**
- AIDS, 1:23–24
 - Bassen-Kornzweig syndrome, 1:139
 - beriberi, 1:152
 - dementia, 1:267
 - Lesch-Nyhan syndrome, 1:486–487
 - Lyme disease, 1:508
 - Mènière's disease, 2:520
 - myopathies, 2:584
 - neurosarcoidosis, 2:613
 - Niemann-Pick disease, 2:617
 - paraneoplastic syndromes, 2:644–645
 - peripheral neuropathy, 2:663
 - polymyositis, 2:683
 - seizures, 2:757
 - serum creatine kinase, 2:570
 - spina bifida, 2:792
 - stiff person syndrome, 2:800
 - tabes dorsalis, 2:828
 - temporal arteritis, 2:833
 - thyrotoxic myopathy, 2:843
 - transient global amnesia, 2:857
 - transient ischemic attacks, 2:860
 - vasculitis, 2:896
 - vitamin B12 deficiency, 2:911–912
 - West Nile virus, 2:922
 - Zellweger syndrome, 2:938
- Blood vessels**
- aneurysms, 1:50–53
 - angiography, 1:56–60
 - arteriovenous malformations, 1:98–101
 - Behçet disease, 1:142–144
 - cerebral cavernous malformations, 1:210–212
 - diabetic neuropathy, 1:276
 - epidural hematomas, 1:346
 - ergot alkaloids, 1:71
 - in meninges, 2:524
 - moyamoya disease, 2:549–551
 - multi-infarct dementia, 2:558–559
 - spinal cord infarction, 2:782
 - strokes, 2:804–805, 806
 - thoracic outlet syndrome, 2:840
 - vasculitis, 2:893, 894–896
- See also Arteries; Veins*
- BMA (British Medical Association), 1:4**
- BMD (Becker muscular dystrophy), 2:568, 570, 572**
- Bodywork therapies, 1:159–163**
- Bone and skeleton disease**
- back pain, 1:132
 - heterotopic ossification, 2:785, 787
 - Morquio syndrome, 2:554
 - mucopolysaccharidoses, 2:556
 - myopathies, 2:582–583
 - neurofibromatosis, 2:597–598
- Bone marrow transplants**
- adrenoleukodystrophy, 1:11
 - Krabbe disease, 1:468
 - metachromatic leukodystrophy, 2:531
 - mucopolysaccharidoses, 2:556, 557
- Boreliosis. See Lyme disease**
- Boron-10, 2:712**
- Borrelia burgdorferi*, 1:307, 505**
- Botulinum toxin (BTX, Botox), 1:163–165**
- blepharospasm, 1:158
 - dystonia, 1:321
 - hemifacial spasms, 1:415
 - spasticity, 2:779
 - tremors, 2:874
- Botulism, 1:165–167**
- Bovine spongiform encephalopathy (BSE), 2:696, 699**
- Bowel control**
- spina bifida, 2:791
 - spinal cord injuries, 2:785, 787
 - transverse myelitis, 2:865
- BPV. See Benign positional vertigo**
- Braces and splints**
- carpal tunnel syndrome, 2:722
 - repetitive motion disorders, 2:725, 726
 - Rett syndrome, 2:736
 - spasticity, 2:779
 - spinal cord injuries, 2:786
 - whiplash, 2:926
- Brachial plexus**
- brachial plexus palsy, 2:591–592, 593, 594
 - injuries, 1:167–170
 - Parsonage-Turner syndrome, 2:653–655
 - peripheral nervous system anatomy, 2:679
 - thoracic outlet syndrome, 2:840